

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6513	(370/412,413,414,415,416,417,418,422,423,424,428,429).ccls.	US-PGPHUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 22:04
L2	23	1 and(input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (packetiz\$3) with (output\$3 or outgo\$3)	US-PGPHUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 22:04
S1	329	(input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (packetiz\$3) with (output\$3 or outgo\$3)	US-PGPHUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 18:37
S2	212	(input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) with (packetiz\$3) with (output\$3 or outgo\$3)	US-PGPHUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 18:37
S3	24	(input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) with (packetiz\$3) with (output\$3 or outgo\$3) with (compress\$3 or scal\$3)	US-PGPHUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 18:38
S4	1	(input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (assign\$4 near5 unique near3 (identif\$6 or id or code or value)) same (packetiz\$3) same (output\$3 or outgo\$3)	US-PGPHUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:04

S5	6	((input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (assign\$4 near\$5 (identifi\$6 or id or code or value)) same (packetiz\$3) same (output\$3 or outgo\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:05
S6	2	((input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (assign\$4 near\$5 unique) same (packetiz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:29
S7	767	((input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (assign\$4 near\$5 unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:29
S8	14	((input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (assign\$4 near\$5 unique) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:30
S9	298	((input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (unique) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:31
S10	31	((input\$3 or incoming) near\$3 (signal or stream) with (buffer\$3 or queue\$3 or stor\$3) same (unique) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:32
S11	329	((input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (packetiz\$3) with (output\$3 or outgo\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:38

S12	364	(packet with sequenc\$3 with (id or identifi\$6 or unique or global) with payload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:41
S13	1	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:41
S14	5891	(packet with sequenc\$3 with (id or identifi\$6 or unique or global))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:42
S15	39	S11 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:42
S16	39	plurality near3 (input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) same (combiner\$3) with (output\$3 or outgo\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 20:38
S17	243	plurality near3 (input\$3 or incoming) with (buffer\$3 or queue\$3 or stor\$3) and (combiner\$3) with (output\$3 or outgo\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 20:38
S18	2	S16 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 20:38

S19	112	(assign\$4 or attach\$4) with (unique or global) with (code or id or identifier or identification or key) with packet with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:29
S20	13	(assign\$4 or attach\$4) with (unique or global) with (code or id or identifier or identification or key or label or lable) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:32
S21	3	(assign\$4 or attach\$4) with mac with address with (destination) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:36
S22	3	(assign\$4 or attach\$4) with (mac or global or unique) with (address or id or identifier or identification or key or value) with (destination) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:38
S23	31	(assign\$4 or attach\$4) with (mac or global or unique) with (address or id or identifier or identification or key or value) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:38
S24	0	"same" near2 (mac or global or unique) near5 (address or id or identifier or identification or key or value) with packet with (flagment or segment) with "same" near2 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:43
S25	15	"same" near2 (mac or global or unique) near5 (address or id or identifier or identification or key or value) with packet with "same" near2 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:44

S26	371	"same" near5 (mac or global or unique) near3 (address or id or identifier or identification or key or value) with "same" near5 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:41
S27	205	"same" near5 (mac or global or unique) near3 (address or id or identifier or identification or key or value) with "same" near5 (destination) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:41
S28	205	"same" near5 (mac or global or unique) near3 (address or id or identifier or identification) with "same" near5 (destination) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:41
S29	205	"same" near5 (mac or global or unique) near3 (address or id or identifier) with "same" near5 (destination) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:42
S30	205	"same" near5 (mac or global or unique) near3 (address or id or identifier) with packet with "same" near5 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:43
S31	7	"same" near5 (mac or global or unique) near3 (address or id or identifier) with packet with "same" near5 (destination) with (sequenc\$4 or order\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:44
S32	203	"same" near5 (mac or global) near3 (address or id or identifier) with packet with "same" near5 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:47

S33	10	"same" near5 (mac or global) near3 (address or id or identifier) with packet with "same" near5 (destination) same (sequenc\$4 or order) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:47
S34	171	("3891792" "3978470" "4197590" "4361848" "4381522" "4398216" "4484217" "4488179" "4517598" "4528589" "4528643" "4587520" "4605964" "4621282" "4633462" "4639225" "4688218" "4688246" "4694490" "4695880" "4697209" "4706121" "4712105" "4712130" "4724491" "4792972" "4805014" "4816901" "4829372" "4829558" "4829569" "4860379" "4876736" "4885803" "4920432" "4928168" "4947429" "4949187" "4959810" "4961109" "4975951" "4977455" "4995078" "4996597" "5001554" "5014125" "5015829" "5020129" "5027400" "5036394" "5036537" "5038402" "5046093" "5047867" "5049990" "5056138" "5057917" "5073930" "5075771" "5077607" "5078019" "5091782" "5093718" "5099319" "5103314" "5105268" "5130792" "5132789" "5132992" "5133079" "5144663" "5150118" "5151782" "5151789" "5152011" "5155591" "5166886" "5172413" "5182639" "5185667" "5202817" "5206722" "5206954" "5216515" "5221962" "5223924" "5231494" "5235419" "5237311" "5237610" "5247347" "5251028" "5253066" "5253275" "5253341" "5260778" "5270809" "5282028" "5283639" "5285272" "5289271" "5293540" "5293633" "5319455" "5319707" "5323240" "5327554" "5339315" "5341166" "5341474" "5343239" "5343516" "5345594" "5349638" "5351075" "5353121" "5355162" "5357276" "5365265" "5367571" "5375068" "5390348" "5396546" "5400401" "5404393".PN. OR ("5404505" "5410326" "5410344" "54112416" "5414426" "5416508" "5424770" "5432542" "5440632" "5442626" "5446919" "5461667" "5469206" "5473362" "5477263" "5479268" "5481294" "5481296" "5481542" "5483278" "5500794" "5515098" "5550863" "5561708" "5561709" "5570126" "5600364" "5629733" "5635989" "5644354" "5661516" "5663757" "5689663" "5696906" "5724091" "5764276" "5793414" "5793872" "5877801" "5903319" "6331877" "D301037" "D314383" "D325581" "D329238" "D331760").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/11/10 19:58
S35	43	S34 and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 19:58

S36	9	S34 and packet same (mac or global or unique) near3 (identifier or address or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 19:59
S37	8	source with generat\$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification) with sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:45
S38	0	source with generat\$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification) with sequenc\$4 with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:45
S39	8	source with generat\$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification) with sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:46
S40	351	source with generat\$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:47
S41	347	source with generat\$4 with packet same packet with (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:47
S42	264	source with generat\$4 near5 packet same packet with (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:47

S43	204	source near6 generat\$4 near5 packet same packet with (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S44	87	source near6 generat\$4 near5 packet same packet near5 (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S45	57	source near6 generat\$4 near5 packet with packet near5 (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S46	5	source near6 generat\$4 near5 packet with packet near5 (mac or global or unique) near3 (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S47	568	pdu same sdu same (fragment\$5 or segment\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:57
S48	204	pdu same sdu same (fragment\$5 or segment\$5) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:57
S49	2	pdu same sdu same (fragment\$5 or segment\$5) same packet same ((mac or global or unique) near3 (address or identifier or id or key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:59

S50	2	pdu same sdu same (fragment\$5 or segment\$5) same packet same ((mac or global or unique) near5 (address or identifier or id or key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:59
S51	0	pdu with sdu with (fragment\$5 or segment\$5) same packet same ((mac or global or unique) near3 (address or identifier or id or key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:00
S52	161	pdu with sdu with (fragment\$5 or segment\$5) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:00
S53	105	pdu with sdu with (fragment\$5 or segment\$5) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:00
S54	10	pdu with sdu with (fragment\$5 or segment\$5) with packet with (sequenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:01
S55	20	pdu with sdu with (fragment\$5 or segment\$5) with packet same (sequenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:01
S56	10	S55 not S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:01

S57	1	("6519223").PN.	USPAT; USOCR	OR	OFF	2008/11/11 18:05
S58	2	packet with (sequenc\$4) information with (position) information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:15
S59	0	(packet of frame) with (position) with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S60	7059	(packet or frame) with (position) with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S61	230	(packet or frame) with (position) with pixel with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S62	1287	(packet or frame) with (position) with pixel with (window or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S63	19	(packet) with (position) with pixel with (window or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:17

S64	10	(packet) with (position) with pixel with (window or display\$3) and packet with sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:17
S65	150	(packet) with (position) near6 (window or display\$3 or screen) and packet with sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:36
S66	14	(packet) with (position) with pixel with (window or display\$3 or screen) and packet with sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:38
S67	4	S66 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:38
S68	26	(packet) with (position) with pixel with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:39
S69	1488	(packet or frame) with (position) with pixel with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:45
S70	43	(packet or frame) with (position) with pixel with (window or display\$3 or screen) with sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:45

S71	39	S70 not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:45
S72	26	(packet) with (position) with pixel with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:52
S73	15771	(position) with pixel with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:52
S74	3672	(position) with pixel with (window or display\$3 or screen) with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:53
S75	2008	(packet) with size near5 (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:54
S76	14	(packet) with size with pixel near5 (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:54
S77	13	S76 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:55

S78	6790	(position\$3 or locat\$3) with data with pixel with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:59
S79	2090	video with pixel with (position or location) with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:02
S80	117	packet same pixel with (position or location) with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:02
S81	14054	indicat\$4 with data with (position or location) with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:05
S82	628	field with indicat\$4 with data with (position or location) with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:05
S83	29	field with pixel with indicat\$4 with data with (position or location) with (window or display\$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:05
S84	28	S83 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:06

S85	0	pixel near5 information near5 position near4 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:12
S86	0	information near5 position near4 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:13
S87	25330	information near5 position near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:13
S88	101	packet with information near5 position near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:13
S89	18	S88 and ("370".das.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:14
S90	1	packet with information near5 dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:20
S91	39	packet with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21

S92	0	pixel with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21
S93	2217	pixel with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21
S94	95	information with pixel with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21
S95	1882	pixel with dimension near5 (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S96	12	pixel with dimension with output (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S97	117	pixel with dimension with output with (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S98	68	pixel with dimension with output near8 (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22

S99	0	pixel with dimension with output near8 (window or display) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S100	61	pixel with dimension with output near5 (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:23
S101	16	pixel with dimension with output near5 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:23
S102	1763	(indicat\$4 or modify\$4 or modification or specify\$3) with (width and height) with (image or displa\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:29
S103	132117	("370".das.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:32
S104	728	packet with sequenc\$4 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:32
S105	290	S103 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:32

S106	3069	(packet\$4) with (position or dimension or width or height or size) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:37
S107	1098	S106 and ("370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:37
S108	59	S104 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:38
S109	0	packet with sequenc\$4 information with reasembl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:43
S110	28	packet with sequenc\$4 information with reasembl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:43
S111	0	(packet\$4) near5 field near4 (position or dimension or width or height or size) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:10
S112	104	(packet\$4) near5 field near5 (position or dimension or width or height or size) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:10

S113	0	(packet\$4) near5 field near5 (position or dimension or width or height or size) near5 (image or display\$3 or window) same pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:11
S114	19	(packet\$4) near5 field near5 (position or dimension or width or height) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:22
S115	482	(packet\$4) near5 (position or dimension or width or height) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:24
S116	282	(packet\$4) with information with (position or dimension or width or height) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:24
S117	43	(packet\$4) with information with (dimension or width or height) near5 (image or display\$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:24
S118	7032	((signal or video) with scal\$4).ii.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 19:22
S119	323	video scaler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 19:23

S120	21	video scaler.tl.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 19:23
S121	2327	(receiv\$4 or reception) with (packet or stream or signal) with (buffer\$3 or queue\$4) near5 packet near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:44
S122	2020	(receiv\$4 or reception) near6 (packet or stream or signal) with (buffer\$3 or queue\$4) near5 packet near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:44
S123	0	(receiv\$4 or reception) near6 (packet or stream or signal) with (buffer\$3 or queue\$4) near5 packet near5 (according\$4) near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:45
S124	6	(receiv\$4 or reception) near6 (packet or stream or signal) with (buffer\$3 or queue\$4) near5 packet with (according\$4) near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:45
S125	1371	(receiv\$4 or reception) near6 (packet or stream or signal) with (transmi\$5 or output) (buffer\$3 or queue\$4) with (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:47
S126	412	(receiv\$4 or reception) near6 (packet or stream or signal) with (transmi\$5 or output) (buffer\$3 or queue\$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:47

SI27	14	(receiv\$4 or reception) near6 (packet or stream or signal) with (extract\$4 or separat\$4) with packet with (transmi\$5 or output) (buffer\$3 or queu\$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:48
SI28	2	(receiv\$4 or reception) near6 (packet or stream or signal) with (extract\$4 or separat\$4) with packet with (correspond\$4) near5 (buffer\$3 or queu\$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:51
SI29	2	(receiv\$4 or reception) near6 (packet or stream or signal) with stor\$4 packet with (correspond\$4) near5 (buffer\$3 or queu\$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:54
SI30	11	(receiv\$4 or reception) near6 (packet or stream or signal) same stor\$4 packet with (correspond\$4) with (buffer\$3 or queu\$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:56
SI31	195	(receiv\$4 or reception) with (packet or stream or signal) same (stor\$4 or forward \$4) with packet with (transmi\$5 or output) (buffer\$3 or queu\$4) with (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 17:44
SI32	195	(receiv\$4 or reception) with (packet or stream or signal) same (stor\$4 or forward \$4) with packet with (transmi\$5 or output) (buffer\$3 or queu\$4) with (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 17:46
SI33	0	video near2 compression with horizontal line filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:15

S134	22	horizontal line filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:15
S135	1	compress\$4 with horizontal line filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:16
S136	265	video near2 compression with horizontal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:16
S137	172	video near2 compression with horizontal with vertical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:16
S138	1	S137 and ("370".clas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:19

11/15/2008 10:05:22 PM

C:\Documents and Settings\bzhu\My Documents\EAST\Workspaces\10816841.wsp